

Comparison of the effectiveness and economic value between haemocoagulase agkistrodon and aminocaproic acid and sodium chloride in the prevention and treatment of perioperative bleeding: a retrospective study based on the SuValue® database

Jing LI, Guo-Qing SUN, Jian-Wei XUAN

Journal of Clinical Pharmacy and Therapeutics, 2023, 48(1), 51-56
doi:10.1111/jcpt.12733

Abstract Objective To compare the effectiveness and economic value between haemocoagulase agkistrodon and aminocaproic acid and sodium chloride in the prevention and treatment of perioperative bleeding. Methods A retrospective study was conducted based on the SuValue® database. The study included patients who underwent surgery and received haemocoagulase agkistrodon, aminocaproic acid, or sodium chloride for the prevention and treatment of perioperative bleeding. The primary outcome was the effectiveness of the treatment, measured by the number of patients who required transfusion. The secondary outcome was the economic value, measured by the total cost of the treatment. Results The study included 100 patients. The effectiveness of the treatment was compared between the three groups. The economic value was also compared. Conclusion The study found that haemocoagulase agkistrodon was more effective and cost-effective than aminocaproic acid and sodium chloride in the prevention and treatment of perioperative bleeding.

© 2023 The Author(s).
10.1111/jcpt.12733

结果：36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results

36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results
36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results

Conclusion 36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results

Keywords 36例患者中，男24例，女12例，年龄18~75岁，平均年龄(45.2±12.5)岁。Results

$$^{\pm}$$

$$\chi$$


1.3.1

1.3.2

$^-\pm$


$^-\pm$

χ



$^-\pm$

$-$



--

75

0 0 0

25
